

HEATED HOUSING KIT 12/24V

CCT426



Complete CCTV Camera Housing Kit to suit any CCTV System



Features

- ✓ Dual Voltage, Low Current
- ✓ Easy Engineer Access via Hinged Lid
- ✓ Free Window & Wall Stickers
- ✓ Ultra Strong Bracket
- ✓ Adjustable Camera Fixing Plate
- ✓ Ivory Finish

Description

This attractive ivory heated housing kit contains everything you'll need to fit a traditional CCTV camera outdoors.

What's more the unique dual voltage heater means you can use the housing on 12V dc or 24V ac systems. At a miserly current consumption of 250mA, installation design is easy with no heavy duty PSUs or cable required compared to other housings.

Disclaimer

The technical specifications contained are given in good faith as being accurate but due to a continued program of improvement may change from time to time without notice. We apologise for any inconvenience due to changes of specification or errors and omissions within this document.
Copyright 2006

HEATED HOUSING KIT 12/24V

CCT426



A strong mounting bracket prevents unnecessary vibration from strong winds whilst a good quality cabling gasket keeps out the elements in the worst weather conditions.

Installation is facilitated by a hinged lid on the housing, which makes fixing the camera onto an adjustable mounting plate easy. A clever locking mechanism means the camera housing can be locked up and secured with the free combination padlock with just the one hand. Great when you're up a ladder!

This kit is one of our best sellers, hardly surprising when it includes:

- a dual voltage heated housing,
- a strong wall bracket,
- a pack of 5 wall fixing bolts,
- external CCTV warning signs,
- a weatherproof cable gland,
- a free combination padlock,
- a camera clamping screw,
- CCTV warning stickers
- and a re-usable accessory tub.

Disclaimer

The technical specifications contained are given in good faith as being accurate but due to a continued program of improvement may change from time to time without notice. We apologise for any inconvenience due to changes of specification or errors and omissions within this document.
Copyright 2006

HEATED HOUSING KIT 12/24V

CCT426



Specifications

Finish	Ivory Stove Enamelled
Heater Type	Dual Voltage 12V DC/24V AC
Heater Connections	Terminal Strip
Element	PTC Type
Consumption	250mA @ 12V DC
Use	Internal or External
Cabling	Gland Entry
Camera Fixing	Adjustable Plate
Lockable	Hinged Lid with padlock
Build	Aluminium
Kit Includes	Housing/Bracket/Padlock/Bolts/Sticker &
Mounting	Wall Mount
Window	75x65mm
Dimensions	W140 x H116 x L400mm

Disclaimer

The technical specifications contained are given in good faith as being accurate but due to a continued program of improvement may change from time to time without notice. We apologise for any inconvenience due to changes of specification or errors and omissions within this document.
Copyright 2006